

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

L Number	Hits	Search Text	DB	Time stamp
-	5592	(select\$5 choos\$3 chose) with (hardware with software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 16:50
-	380	(select\$5 choos\$3 chose) with (hardware with software) with process	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 16:51
-	1	(select\$5 choos\$3 chose) with (hardware with software) with process with cryptography	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 16:52
-	2	(select\$5 choos\$3 chose identify\$4 identification) with (hardware with software) with process with cryptography	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 16:54
-	2	(select\$5 choos\$3 chose identify\$4 identification) with (hardware with software) with cryptography	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 16:57
-	14	(select\$5 choos\$3 chose identify\$4 identification) with (hardware with software) same cryptography	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 16:57
-	45	(select\$5 choos\$3 chose identify\$4 identification) with (hardware with software) same cryptograph\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 17:27
-	13	(select\$5 choos\$3 chose identify\$4 identification) with (hardware with software) with cryptograph\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 16:57
-	1	(select\$5 choos\$3 chose identify\$4 identification) with (hardware with software) same cryptograph\$2 and (convert\$4 with hardware with software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 17:10
-	54	cryptograph\$2 and (convert\$4 with hardware with software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 17:20
-	7	cryptograph\$2 and (convert\$4 with hardware with software with key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 17:21
-	9	cryptograph\$2 and (conver\$5 with hardware with software with key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 17:21
-	3	(select\$5 choos\$3 chose identify\$4 identification indicat\$4) with (hardware with software) same cryptograph\$2 same (rule policy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 17:29
-	160	(select\$5 choos\$3 chose identify\$4 identification indicat\$4) with (hardware with software) same (rule policy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 17:29

-	3069	(select\$5 choos\$3 chose identify\$4 identification indicat\$4) with (hardware with software) and (cryptograph\$2 encrypt\$3 same (rule policy))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 17:30
-	259	(select\$5 choos\$3 chose identify\$4 identification indicat\$4) with (hardware with software) and (cryptograph\$2 encrypt\$3) same (rule policy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 17:30
-	61	(select\$5 choos\$3 chose identify\$4 identification indicat\$4) with (hardware with software) same (rule policy) and (cryptograph\$2 encrypt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 18:50
-	0	6499110.URPN.	USPAT	2004/06/24 18:40
-	1	"6202157".PN.	USPAT	2004/06/24 18:41
-	8	(select\$5 choos\$3 chose identify\$4 identification indicat\$4) with (speed) with (resource or cost) same (rule policy) and (cryptograph\$2 encrypt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 18:53
-	301	(select\$5 choos\$3 chose identify\$4 identification indicat\$4) with ((speed) or (resource or cost)) with(cryptograph\$2 encrypt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 18:53
-	44	(select\$5 choos\$3 chose identify\$4 identification indicat\$4) with ((speed) or (resource or cost)) with(cryptograph\$2 encrypt\$3) and (rule or policy) and (key with form)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 18:55
-	19	(select\$5 choos\$3 chose identify\$4 identification indicat\$4) with ((speed) or (resource or cost)) with(cryptograph\$2 encrypt\$3) and (rule or policy) and (key with form) and (java)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 19:01
-	36	(select\$5 choos\$3 chose identify\$4 identification indicat\$4) with ((speed) or (resource or cost)) with(cryptograph\$2 encrypt\$3) and (rule or policy) and (java)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 19:02
-	110	(select\$5 choos\$3 chose identify\$4 identification indicat\$4) with ((speed) or (resource or cost)) with(cryptograph\$2 encrypt\$3) and (rule or policy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 19:48
-	224	(select\$5 choos\$3 chose identify\$4 identification indicat\$4) with key with ((speed) or (resource or cost memory)) with(cryptograph\$2 encrypt\$3) and (rule or policy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 19:48
-	17	(select\$5 choos\$3 chose identify\$4 identification indicat\$4) with key with (according based basis accordance) with ((speed) or (resource or cost memory)) with(cryptograph\$2 encrypt\$3) and (rule or policy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 19:53
-	279	(select\$5 choos\$3 chose identify\$4 identification indicat\$4) same key same (according based basis accordance) same ((speed) or (resource or cost memory)) same (cryptograph\$2 encrypt\$3) and (rule or policy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 19:54

-	163	(select\$5 choos\$3 chose identify\$4 identification indicat\$4) same key same (according based basis accordance) same ((speed) or (resource or cost memory)) same (cryptograph\$2 encrypt\$3) and (rule or policy) and (conver\$5 chang\$3 modify\$4 modification transform\$4 translat\$3) with key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 19:55
-	42	(select\$5 choos\$3 chose identify\$4 identification indicat\$4) same key same (according based basis accordance) same ((speed) or (resource or cost memory)) same (cryptograph\$2 encrypt\$3) and (rule or policy) and (conver\$5 chang\$3 modify\$4 modification transform\$4 translat\$3) with key with (hardware device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 19:57
-	31	(select\$5 choos\$3 chose identify\$4 identification indicat\$4) same key same (according based basis accordance) same ((speed) or (resource or cost memory)) same (cryptograph\$2 encrypt\$3) and (rule or policy) and (conver\$5 chang\$3 modify\$4 modification transform\$4 translat\$3) with key with (hardware device) and (select\$5 choos\$3 chose identify\$4 identification indicat\$4) with (process function) with (application software hardware device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 20:12
-	14	("5706489" "5048086" "5901227" "6028939" "6070198" "6122742" "5343527").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 20:07
-	4	("5706489" "5048086" "5901227" "6028939" "6070198" "6122742" "5343527").pn. and (rule or policy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 20:06
-	11	("5706489" "5048086" "5901227" "6028939" "6070198" "6122742" "5343527").pn. and key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 20:07
-	35	(select\$5 choos\$3 chose identify\$4 identification indicat\$4) same key same (according based basis accordance) same ((speed) or (resource or cost memory)) same (cryptograph\$2 encrypt\$3) and (rule or policy attribute parameter) and (conver\$5 chang\$3 modify\$4 modification transform\$4 translat\$3) with key with (hardware device) and (select\$5 choos\$3 chose identify\$4 identification indicat\$4) with (process function) with (application software hardware device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 20:13

-	4	((select\$5 choos\$3 chose identify\$4 identification indicat\$4) same key same (according based basis accordance) same ((speed) or (resource or cost memory)) same (cryptograph\$2 encrypt\$3) and (rule or policy attribute parameter) and (conver\$5 chang\$3 modify\$4 modification transform\$4 translat\$3) with key with (hardware device) and (select\$5 choos\$3 chose identify\$4 identification indicat\$4) with (process function) with (application software hardware device)) not ((select\$5 choos\$3 chose identify\$4 identification indicat\$4) same key same (according based basis accordance) same ((speed) or (resource or cost memory)) same (cryptograph\$2 encrypt\$3) and (rule or policy) and (conver\$5 chang\$3 modify\$4 modification transform\$4 translat\$3) with key with (hardware device) and (select\$5 choos\$3 chose identify\$4 identification indicat\$4) with (process function) with (application software hardware device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 09:57
-	630755	+	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 10:02
-	7663	+++	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 10:02
-	74977	(implement\$5 advantage) with (hardware device machine) with (software application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 10:02
-	8097	(implement\$5 advantage) with (hardware device machine) with (software application) and (cryptograph\$2 encrypt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 10:04
-	2119	(implement\$5 advantage) with (hardware device machine) with (software application) with (operation process function) and (cryptograph\$2 encrypt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 10:04
-	653	(implement\$5 advantage) with (hardware device machine) with (software application) with (operation process function) and (cryptograph\$2 encrypt\$3) and (select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (software application) with (operation process function)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 10:06
-	370	(implement\$5 advantage) with (hardware device machine) with (software application) with (operation process function) and (cryptograph\$2 encrypt\$3) and (select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (software application) with (operation process function) and (select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (hardware device machine) with (operation process function)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 10:08

-	72	(implement\$5 advantage) with (hardware device machine) with (software application) with (operation process function) and (cryptograph\$2 encrypt\$3) and (select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (software application) with (operation process function) and (select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (hardware device machine) with (operation process function) same (basis based according correspond\$4 accordance corrrelat\$4 correspond\$4 associat\$4 match\$4 depend\$4 relat\$3 response) with (size resource availab\$5 cost performance throughput secur\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 10:13
-	42	(implement\$5 advantage) with (hardware device machine) with (software application) with (operation process function) and (cryptograph\$2 encrypt\$3) and (select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (software application) with (operation process function) same (select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (hardware device machine) with (operation process function) same (basis based according correspond\$4 accordance corrrelat\$4 correspond\$4 associat\$4 match\$4 depend\$4 relat\$3 response) with (size resource availab\$5 cost performance throughput secur\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 10:13
-	7899	(implement\$5 advantage) with (hardware device machine) with (software application) with (operation process function) and (cryptograph\$2 encrypt\$3) and ((select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (software application) with (operation process function) same (basis based according correspond\$4 accordance corrrelat\$4 correspond\$4 associat\$4 match\$4 depend\$4 relat\$3 response) with (size resource availab\$5 cost performance throughput secur\$4)) or (select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (hardware device machine) with (operation process function) same (basis based according correspond\$4 accordance corrrelat\$4 correspond\$4 associat\$4 match\$4 depend\$4 relat\$3 response) with (size resource availab\$5 cost performance throughput secur\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 10:14

-	7899	(implement\$5 advantage) with (hardware device machine) with (software application) with (operation process function) and (cryptograph\$2 encrypt\$3) and ((select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (software application) with (operation process function) same (basis based according correspond\$4 accordance corrrelat\$4 correspond\$4 associat\$4 match\$4 depend\$4 relat\$3 response) with (size resource availab\$5 cost performance throughput secur\$4)) OR ((select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (hardware device machine) with (operation process function) same (basis based according correspond\$4 accordance corrrelat\$4 correspond\$4 associat\$4 match\$4 depend\$4 relat\$3 response) with (size resource availab\$5 cost performance throughput secur\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 10:14
-	125	(implement\$5 advantage) with (hardware device machine) with (software application) with (operation process function) and (cryptograph\$2 encrypt\$3) and (((select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (software application) with (operation process function) same (basis based according correspond\$4 accordance corrrelat\$4 correspond\$4 associat\$4 match\$4 depend\$4 relat\$3 response) with (size resource availab\$5 cost performance throughput secur\$4)) OR ((select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (hardware device machine) with (operation process function) same (basis based according correspond\$4 accordance corrrelat\$4 correspond\$4 associat\$4 match\$4 depend\$4 relat\$3 response) with (size resource availab\$5 cost performance throughput secur\$4))) and (rule or policy or parameter attribute) with (operation process function)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 10:17
-	185	(implement\$5 advantage) with (hardware device machine) with (software application) with (operation process function) and (cryptograph\$2 encrypt\$3) and (((select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (software application) with (operation process function) same (basis based according correspond\$4 accordance corrrelat\$4 correspond\$4 associat\$4 match\$4 depend\$4 relat\$3 response) with (size resource availab\$5 cost performance throughput secur\$4)) OR ((select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (hardware device machine) with (operation process function) same (basis based according correspond\$4 accordance corrrelat\$4 correspond\$4 associat\$4 match\$4 depend\$4 relat\$3 response) with (size resource availab\$5 cost performance throughput secur\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 10:38
-	0	5612682.pn. and ((hardware) adj (key object tag label))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 10:39

-	0	5612682.pn. and ((hardware software) adj (key object tag label))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 10:39
-	53	((implement\$5 advantage) with (hardware device machine) with (software application) with (operation process function) and (cryptograph\$2 encrypt\$3) and (((select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (software application) with (operation process function) same (basis based according correspond\$4 accordance correat\$4 correspond\$4 associat\$4 match\$4 depend\$4 relat\$3 response) with (size resource availab\$5 cost performance throughput secur\$4)) OR ((select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (hardware device machine) with (operation process function) same (basis based according correspond\$4 accordance correat\$4 correspond\$4 associat\$4 match\$4 depend\$4 relat\$3 response) with (size resource availab\$5 cost performance throughput secur\$4)))) and ((hardware software) adj (key object tag label))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 10:40
-	5	((implement\$5 advantage) with (hardware device machine) with (software application) with (operation process function) and (cryptograph\$2 encrypt\$3) and (((select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (software application) with (operation process function) same (basis based according correspond\$4 accordance correat\$4 correspond\$4 associat\$4 match\$4 depend\$4 relat\$3 response) with (size resource availab\$5 cost performance throughput secur\$4)) OR ((select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (hardware device machine) with (operation process function) same (basis based according correspond\$4 accordance correat\$4 correspond\$4 associat\$4 match\$4 depend\$4 relat\$3 response) with (size resource availab\$5 cost performance throughput secur\$4)))) and (determination determin\$4 compar\$4 indicat\$3 conver\$4) with ((hardware software) adj (key object tag label))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 11:00

-	4	((implement\$5 advantage) with (hardware device machine) with (software application) with (operation process function) and (cryptograph\$2 encrypt\$3) and (((select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (software application) with (operation process function) same (basis based according correspond\$4 accordance corrrelat\$4 correspond\$4 associat\$4 match\$4 depend\$4 relat\$3 response) with (size resource availab\$5 cost performance throughput secur\$4)) OR ((select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (hardware device machine) with (operation process function) same (basis based according correspond\$4 accordance corrrelat\$4 correspond\$4 associat\$4 match\$4 depend\$4 relat\$3 response) with (size resource availab\$5 cost performance throughput secur\$4)))) and (determination determin\$4 compar\$4 indicat\$3 conver\$4) with ((hardware) adj (key object tag label)) same ((hardware) adj (key object tag label))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 11:01
-	1	((implement\$5 advantage) with (hardware device machine) with (software application) with (operation process function) and (cryptograph\$2 encrypt\$3) and (((select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (software application) with (operation process function) same (basis based according correspond\$4 accordance corrrelat\$4 correspond\$4 associat\$4 match\$4 depend\$4 relat\$3 response) with (size resource availab\$5 cost performance throughput secur\$4)) OR ((select\$3 pick\$4 chose choos\$3 indicat\$3 determin\$3) with (hardware device machine) with (operation process function) same (basis based according correspond\$4 accordance corrrelat\$4 correspond\$4 associat\$4 match\$4 depend\$4 relat\$3 response) with (size resource availab\$5 cost performance throughput secur\$4)))) and (determination determin\$4 compar\$4 indicat\$3 conver\$4) with ((hardware) adj (key object tag label)) same ((software) adj (key object tag label))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 11:01
-	17	(determination determin\$4 compar\$4 indicat\$3 conver\$4) with ((hardware) adj (key object tag label)) same ((software) adj (key object tag label))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 11:04
-	34	(determination determin\$4 compar\$4 indicat\$3 conver\$4 select\$4 choos\$4) with ((hardware) adj (key object tag label)) same ((software) adj (key object tag label))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 11:05
-	17	((determination determin\$4 compar\$4 indicat\$3 conver\$4 select\$4 choos\$4) with ((hardware) adj (key object tag label)) same ((software) adj (key object tag label))) not ((determination determin\$4 compar\$4 indicat\$3 conver\$4) with ((hardware) adj (key object tag label)) same ((software) adj (key object tag label)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 11:30

-	187	("5956408" "6073237" "6307938" "6345098" "6192129" "6243470" "5864683" "6119228" "5764772" "6185546" "5317638" "6144744" "5901227" "5745572" "5680460" "5949882" "5323464" "5742756" "6243466" "6282295" "6389136" "5815573" "5787175" "5539828" "5796840" "5805712" "5594869" "5196840" "4386234" "6185304" "6185679" "5687238" "5200999" "5960084" "5970147" "5991399" "6230272" "6298442" "6400823" "5887131" "6061448" "6061448" "6219421" "6219421" "5509071" "6209016" "6038551" "5425103" "5619576" "4870681").pn. ("5982895" "6028939" "5872848" "6085322" "5448639" "5949881" "5724428" "5835600" "6694430" "6307935" "4757534" "5604801" "4944007" "4868877" "6189095" "3798360" "6304658" "6381699" "6490680" "6122742" "6161180" "6243812" "6105137" "6301660" "5956404" "5400403" "-----")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 11:30
Search History	6/25/04 41:51 PM	Page 9		

-	9	("4453074" "4759062" "5225664" "5473692" "5539828" "5557518" "5610980" "5787172" "6088797").PN.	USPAT	2004/06/25 11:41
---	---	---	-------	---------------------